Sporty. Innovative.
For sportive vehicles
with tightest clearances.

pewag

STRONG IS NOT ENOUGH

www.pewag.com

pewag servo SPORT

Sporty. Thrilling. Fast. High quality chain with servo-technology

The innovative and patented pewag servo products which were especially developed for cars with high output engines provide the easy to use stationary mounting, as well as reliability in all situations: a snow chain that especially convinces frequent drivers.

pewag servo SPORT

Only 7 mm of space. Sporty. Innovative. For sportive vehicles with tightest clearances.

The pewag servo sport is the latest pewag innovation.

Usage
- **Recommended for vehicles with front-wheel drives**
- **Ideal for city driving / paved roads**

Product information
- **7 mm: For sportive vehicles with tightest clearances**
- **pewag servo ratchet tensions the chain automatically – manual tensioning is not necessary**
- **Easy demounting through self-opening inside lock**

Additional information
- Mounting support online

Technical Details

- Önorm (Austrian Standard), TÜV-certified (German Association for Technical Inspection)
- Twisted chain on the inside allows use with minimum space (7 mm)
- Good results in traction, safety and automatic tension
- Patented servo technology automatically adjusts the chain tension

pewag servo sport is the ideal snow chain for sportive vehicles with tightest clearances such as:
Abarth 500, Abarth Punto, Citroen C3 Picasso, Citroen C4 (Grand) Picasso, Fiat Bravo, Lancia Delta, Peugeot 1007, Peugeot 207, Peugeot 308, Renault Koleos, Renault Laguna, Renault Latitude, Renault Scenic, Seat Exeo, Seat Ibiza, VW Golf, VW Jetta.

Mounting video

Reference list pewag servo sport

Tire	Rim	RSS ..
175/70-	12"	RSS 60
155/80-	13"	RSS 60
165/70-		RSS 60
165/80-		RSS 62
175/65-		RSS 60
175/70-		RSS 60
175/80-		RSS 64
185/55-		RSS 60
185/60-		RSS 60
185/65-		RSS 62
185/70-		RSS 64
185/80-		RSS 67
195/50-		RSS 60
195/55-		RSS 60
195/60-		RSS 62
195/65-		RSS 64
195/70-		RSS 67
195/75-		RSS 68
205/60-		RSS 64
205/65-		RSS 67
205/70-		RSS 68
145/80-	14"	RSS 60
155/70-		RSS 60
155/80-		RSS 62
165/65-		RSS 60
165/70-		RSS 62
165/75-		RSS 62

Tire	Rim	RSS ..
165/80-	14"	RSS 64
175/60-		RSS 60
175/65-		RSS 62
175/70-		RSS 64
175/75-		RSS 64
175/80-		RSS 67
185/50-		RSS 60
185/55-		RSS 60
185/60-		RSS 62
185/65-		RSS 64
185/70-		RSS 67
185/75-		RSS 67
185/80-		RSS 69
195/55-		RSS 62
195/60-		RSS 64
195/65-		RSS 67
195/70-		RSS 68
195/80-		RSS 74
205/50-		RSS 62
205/55-		RSS 64
205/60-		RSS 67
205/65-		RSS 68
205/70-		RSS 73
205/80-		RSS 75
215/60-		RSS 69
215/65-		RSS 73
215/70-		RSS 74

Tire	Rim	RSS ..
215/75-	14"	RSS 75
215/80-		RSS 75
225/55-		RSS 69
225/60-		RSS 73
225/70-		RSS 75
225/75-		RSS 76
225/80-		RSS 77
235/60-		RSS 74
245/60-		RSS 75
255/60-		RSS 76
265/60-		RSS 77
135/80-	15"	RSS 60
145/80-		RSS 62
155/60-		RSS 60
155/65-		RSS 60
155/70-		RSS 62
155/80-		RSS 64
165/60-		RSS 60
165/65-		RSS 62
165/70-		RSS 64
165/80-		RSS 67
175/55-		RSS 60
175/60-		RSS 62
175/65-		RSS 64
175/70-		RSS 67
175/80-		RSS 69
185/50-		RSS 60

Tire	Rim	RSS ..
185/55-	15"	RSS 64
185/60-		RSS 64
185/65-		RSS 67
185/70-		RSS 68
185/80-		RSS 73
195/45-		RSS 60
195/50-		RSS 64
195/55-		RSS 64
195/60-		RSS 67
195/65-		RSS 69
195/70-		RSS 73
195/75-		RSS 74
195/80-		RSS 75
205/50-		RSS 64
205/55-		RSS 68
205/60-		RSS 69
205/65-		RSS 73
205/70-		RSS 74
205/75-		RSS 75
205/80-		RSS 75
215/45-		RSS 64
215/50-		RSS 68
215/60-		RSS 73
215/65-		RSS 74
215/70-		RSS 75
215/75-		RSS 76
215/80-		RSS 77

Tire	Rim	RSS ..
225/45-	15"	RSS 67
225/50-		RSS 69
225/55-		RSS 73
225/60-		RSS 74
225/65-		RSS 75
225/70-		RSS 76
225/75-		RSS 77
225/80-		RSS 79
235/55-		RSS 74
235/60-		RSS 75
235/75-		RSS 79
245/60-		RSS 76
245/70-		RSS 79
255/60-		RSS 77
265/50-		RSS 76
275/50-		RSS 77
175/60-	16"	RSS 64
175/75-		RSS 69
185/50-		RSS 64
185/55-		RSS 67
185/60-		RSS 67
185/65-		RSS 69
185/75-		RSS 74
185/80-		RSS 75
195/45-		RSS 64
195/50-		RSS 67
195/55-		RSS 68

Tire	Rim	RSS ..
195/60-	16"	RSS 69
195/65-		RSS 73
195/70-		RSS 74
195/75-		RSS 75
195/80-		RSS 75
195/85-		RSS 77
205/45-		RSS 64
205/50-		RSS 68
205/55-		RSS 73
205/60-		RSS 73
205/65-		RSS 74
205/70-		RSS 75
205/75-		RSS 76
205/80-		RSS 77
215/40-		RSS 64
215/45-		RSS 67
215/50-		RSS 73
215/55-		RSS 74
215/60-		RSS 75
215/65-		RSS 75
215/70-		RSS 77
215/75-		RSS 77
215/80-		RSS 79
220/60-		RSS 75
225/45-		RSS 68
225/50-		RSS 74
225/55-		RSS 75

Tire	Rim	RSS ..
225/60-	16"	RSS 75
225/65-		RSS 76
225/70-		RSS 79
225/75-		RSS 79
235/50-		RSS 75
235/60-		RSS 77
235/70-		RSS 79
245/45-		RSS 74
245/50-		RSS 75
245/55-		RSS 77
255/50-		RSS 76
255/60-		RSS 79
205/40-	17"	RSS 67
205/45-		RSS 68
205/50-		RSS 73
205/55-		RSS 74
205/65-		RSS 75
215/40-		RSS 68
215/45-		RSS 73
215/50-		RSS 74
215/55-		RSS 75
215/60-		RSS 75
225/40-		RSS 69
225/45-		RSS 73
225/50-		RSS 75
225/55-		RSS 75
225/60-		RSS 77

Tire	Rim	RSS ..
225/65-	17"	RSS 79
235/40-		RSS 73
235/45-		RSS 74
235/50-		RSS 75
235/55-		RSS 77
235/65-		RSS 80
245/40-		RSS 74
245/45-		RSS 75
245/50-		RSS 77
245/55-		RSS 79
255/40-		RSS 75
255/45-		RSS 76
255/55-		RSS 79
265/40-		RSS 75
205/70-	17.5"	RSS 77
225/55-		RSS 76
205/40-	18"	RSS 68
215/45-		RSS 74
215/55-		RSS 76
225/40-		RSS 74
225/45-		RSS 75
225/55-		RSS 77
225/60-		RSS 79
235/40-		RSS 74
235/45-		RSS 76
235/50-		RSS 77
235/55-		RSS 79

Tire	Rim	RSS ..
235/60-	18"	RSS 80
245/40-		RSS 75
245/45-		RSS 76
245/50-		RSS 79
245/60-		RSS 80
255/40-		RSS 76
265/35-		RSS 75
265/45-		RSS 79
275/45-		RSS 79
225/45-	19"	RSS 76
225/55-		RSS 79
235/50-		RSS 79
245/40-	20"	RSS 79

pewag servo sport is the ideal snow chain for sportive vehicles with tightest clearances such as:
Abarth 500, Abarth Punto, Citroen C3 Picasso, Citroen C4 (Grand) Picasso, Fiat Bravo, Lancia Delta, Peugeot 1007, Peugeot 207, Peugeot 308, Renault Koleos, Renault Laguna, Renault Latitude, Renault Scenic, Seat Exeo, Seat Ibiza, VW Golf, VW Jetta.

Technical changes and misprints are subject to alteration.

Clearance

City

Automobile, Chain assembly front and rear

Please consider the recommendations of the vehicle manufacturer!

Promotion sustainable forest management

pewag Schneeketten GmbH & Co KG
A-9371 Brückl, Kettenwerk 1, Phone: +43 316 6070-0, Fax: +43 316 6070-100, schneeketten@pewag.com, **www.pewag.com**

www.pewag.com

issuu.pewag.com

youtube.pewag.com

facebook.pewag.com